
No.



7200126

## THIS UNITED SHATES OF ANDERTON

#### TO ALL TO WHOM THESE PRESENTS SHALL COME:

Purdue University
Agricultural Experiment Station
Whereas, there has been presented to the

### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, Upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SEVENTERN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, R IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT LIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. HE UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS SO OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS D BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

Bonus

In Lestimony Wincrest, Thave hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affired at the City of Washington this first day of August in the year of our Lord one thousand nine hundred and seventy three

oction Office

Agricultural Marketing Service

Karl L. Buty


(DATE)

FORM APPROVED OMB NO. 40-R3712

#### APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.	. The LEAN TAK	IETT PROTECTION	, JERTH ICATE				
1. VARIETY NAME OR TEMPORARY	DRARY 2. KIND NAME		FOR OFFICIAL USE ONLY				
DESIGNATION			PVPO NUMBER				
Bonus	Soybeans		74/46				
3. GENUS AND SPECIES NAME	4. FAMILY NAME (Botanical) Leguminosae		4.21.72	4:30	P.M.		
Glycine max	5. DATE OF DETERMAN		FEE RECEIVED	CHARGES			
6. NAME OF APPLICANT(S)	<del>                                     </del>	nd No. or R.F.D. No.,		8. TELEPHONE	ADEA		
Purdue University	Code)	id No. U. R.F.B. No.,	ony, state, and ZIP	CODE AND NUMBER			
Agricultural Experiments	Acriou1+						
Station		ural Expe <b>ti</b> ment niversity	L SCALION	317-749-2891			
Station	Lafayette, Indiana 47907			317 747 2	2071		
9. IF THE NAMED APPLICANT IS NOT A PER ORGANIZATION: (Corporation, partnership, a		10. STATE OF INCOR		11. DATE OF IN	COR-		
Division of Land Grant University  Established by Feder Hatch Act, 1889				<b>18</b> 89			
12. Name and mailing address of applica	int representative(s	s), if any, to serve i	n this application an	d receive all p	apers:		
Dr. H. H. Kramer, Dire		.,,, 04210 .	-FL		•		
Agricultural Experimen							
Purdue University							
Lafayette, Indiana	47907						
•							
13. CHECK BOX BELOW FOR EACH ATTACHA	AENT SUBMITTED:						
_							
🔼 12A. Exhibit A, Origin and Breed	ling History of the	Variety (See Section	n 52, P.L. 91-577)				
X 128. Exhibit B, Botanical Descr	iption of the Variet	<b>:y</b>					
X 12c. Exhibit C, Objective Descri	iption of the Variet	у					
X 12D. Exhibit D, Data Indicative	of Novelty						
X 12E. Exhibit E, Statement of the	Basis of Applicant	a's Ownership					
The applicant declares that a viable sa	mple of basic seed	of this variety will	he deposited upon r	equest before i	ee11-		
ance of a certificate and will be replen	ished periodically	in accordance with	such regulations as	may be applical	ble.		
(See Section 52, P.L. 91-577).	,		, ·	, <b>.</b>			
14A. Does the applicant(s) specify that (See Section 83(a), P.L. 91-577) (1)	seed of this variety	be sold by variety	name only as a clas	s of certified s	eed?		
148. Does the applicant(s) specify that			14B, how many gener	ations of produ	ction		
limited as to number of generations	•	beyond breeds		ations of produ			
•	X YES NO	Three					
Applicant is informed that false represe	entation herein can		on and result in pens	Ities.			
The undersigned applicant(s) of this se	exually-reproduced	novel tlant variety	helieves that the var	iety is distinct	_		
uniform, and stable as required in Section	ion 41 and is entitl	ed to protection una	ler the provisions of	Section 42 of the	be		
Plant Variety Protection Act (P.L. 91-	577).						
4/11/12		AHI	Kiamere				
(DATE)	(DATE) (SIGNATURE OF APPLICANT)						
			•				

(SIGNATURE OF APPLICANT)



GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain Division, Hyattsville, Maryland 20782. Retain one copy for your files. All items on the face of the form are self-explanatory unles noted below.

#### ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc.
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

#### Exhibit A

#### Origin and Breeding History of the Variety

#### Bonus

Bonus soybean [Glycine max (L.) Merr.] is an  $F_6$  plant selection from the cross [Cl266R (Sel. from Harosoy × Cl079) × Cl253 (Sel. from Blackhawk × Harosoy)].

The original cross, designated CX403, was made in 1962 by Dr. A. H. Probst, USDA Agronomist, at the Purdue Agricultural Experiment Station. The  $F_1$  through  $F_6$  generations were grown from 1962-1964 in the greenhouse or in the field at the Purdue University Agricultural Experiment Station. Phytophthora rot inoculations, to screen for resistance to this disease, were made during this time by F. A. Laviolette and Dr. K. L. Athow, Purdue Botany and Plant Pathology Department.

In 1964, 364 phytophthora rot resistant selections were grown in three-foot rows at Lafayette, Indiana. The selection CX403-308 was grown in yield trials at Lafayette, Indiana in 1965, at Evansville, Indiana in 1966, and at Worthington and Evansville, Indiana in 1967.

The selection was designated C1474 and was grown in Preliminary Test IV of the Uniform Soybean Tests Northern States conducted by the U.S. Regional Soybean Laboratory, Urbana, Illinois. The tests were grown in Illinois, Indiana, Kansas, Maryland, Missouri, and Ohio. From 1969 to 1971, C1474 was grown in Uniform Test IV of the Uniform Soybean Tests Northern States conducted by the U.S. Regional Soybean Laboratory in California, Delaware, Illinois, Indiana, Kansas, Kentucky, Maryland, Missouri, Nebraska, New Jersey, Ohio, Pennsylvania, and Texas.

Fifteen rows of breeders seed of C1474 were grown in 1968, and forty-four rows were grown in 1969 at Lafayette, Indiana. Breeders seed was increased to 298 bushels at Lafayette, Indiana in 1970 and in 1971 was divided among the releasing states of Illinois, Indiana, Iowa, and Nebraska. The strain was named Bonus on August 1, 1971.

#### Exhibit B

#### Botanical Description of the Variety

Bonus

Bonus soybean is an early Group IV in maturity, has purple flowers, gray normal pubescence, brown pods, and dull yellow seeds with imperfect black hila. Bonus has medium sized ovate leaves and an indeterminate habit of growth. Bonus is susceptible to bacterial blight caused by <a href="Pseudomonas glycinea">Pseudomonas glycinea</a>, bacterial pustule, caused by <a href="Xanthomonas phaseoli var. sojensis">Xanthomonas phaseoli var. sojensis</a>, brown spot, caused by <a href="Septoria glycines">Septoria glycines</a>, brown stem rot, caused by <a href="Cephalosporium gregatum">Cephalosporium gregatum</a>, downy mildew, caused by <a href="Peronospora manshurica">Peronospora manshurica</a>, frogeye leafspot, race 2, caused by <a href="Cercospora sojina">Cercospora sojina</a>, and powdery mildew, caused by <a href="Microsphaera diffusa">Microsphaera diffusa</a>. It is resistant to Phytophthora rot, caused by <a href="Phytophthora megasperma">Phytophthora megasperma</a> var. <a href="Sojae">sojae</a>. Bonus has low peroxidase activity in the seed coat, flowers in about 70 days under a 20-hour cool white fluorescent photoperiod, and a hypocotyl length averaging 8 cm after germinating 9 days at 25° C, a critical temperature for differentiating strains.

#72126

#### Exhibit D

#### Data Indicative of Novelty

#### Bonus

Bonus, which has gray pubescence, can readily be distinguished from the Group IV varieties Clark, Clark 63, Kent, Cutler, Cutler 71, Wye, and Columbus, all of which have tawny pubescence. The imperfect black hilum of Bonus distinguishes this variety from Oksoy which has a buff hilum. The purple flowers of Bonus distinguish it from the old varieties Gibson and Wabash, both with white flowers. Bonus most closely resembles the old varieties Patoka and Perry. However, Bonus is resistant to phytophthora rot and both Patoka and Perry are susceptible.

LAFAYETTE, INDIANA 47907

# 72126

FFICE OF THE DIRECTOR

EXHIBIT E RYS

June 4, 1973

Robert J. Snyder, Examiner Plant Variety Protection Office Agricultural Marketing Service U. S. Department of Agriculture 6525 Belcrest Road Hyattsville, Maryland 20782

Dear Mr. Snyder:

To answer the question you raised in your letter of May 29, I quote from the Master Memorandum of Understanding between the Indiana Agricultural Experiment Station and the U. S. Department of Agriculture, Agricultural Research Service, relative to cooperative research.

Section C, paragraph 6.b. reads as follows:

"b. Plants, seeds, and plant materials used in this cooperative undertaking will be provided by the parties from time to time as mutually agreed upon. Such plants, seeds, and plant materials produced hereunder as may not be needed in this undertaking but may be needed in other research conducted by either party, shall be available to such party. New varieties or strains obtained through the cooperation shall be distributed for commercial growing, as and when mutually agreed upon. All plants, seeds, and plant materials produced and not needed in this undertaking or in other research, as provided above, shall be the property of the Agricultural Experiment Station which agrees to make to the Agricultural Research Service such reports of disposition as may be mutually agreed upon."

This memorandum of agreement was signed by E. L. Butz for the Experiment Station and by B. T. Shaw for the Agricultural Research Service and became effective August 1, 1957.

New varieties constitute plant materials produced and no longer needed "in this undertaking" since the undertaking is complete with the release of each new variety. The varieties 'Cutler 71', 'Amsoy 71' and 'Bonus' were distributed to commercial growers as mutually agreed upon, (as documented in the release statements which also constitute our report to ARS of disposition) at which point they become the "property of the Agricultural Experiment Station" as specifically stated in the memorandum of understanding.

· continued - - - -

Mr. R. J. Snyder June 4, 1973 Page 2

The memorandum provides that it "shall continue indefinitely but may be modified by mutual agreement between the parties in writing and may be discontinued at the request of either party. Requests for termination or any major change shall be submitted to the other party not less than 60 days in advance of the effective date desired." No change has been requested by either party since July 1, 1957.

We can supply the complete memorandum of understanding if you feel it necessary. However, the section quoted is the only one which bears on the question you raised in your letter of 29 May.

The memorandum thus states explicitly that the USDA does not wish to participate in ownership of new varieties and has released its principal rights in the varieties to the Agricultural Experiment Station of Purdue University.

Very truly yours,

AM Isramer

Herbert H. Kramer Director

# UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

EXHIBIT C (Soybean)

**OBJECTIVE DESCRIPTION OF VARIETY** SOYBEAN (GLYCINE MAX) INSTRUCTIONS: See Reverse. NAME OF APPLICANT(S) FOR OFFICIAL USE ONLY Purdue University Agricultural Experiment Station PVPO NUMBER ADDRESS (Street and No., or R.F.D. No.; City, State, and ZIP Code) 72126 Agricultural Experiment Station VARIETY NAME OR TEMPORARY DESIGNATION Purdue University West Lafayette, Indiana 47907 Bonus Place the appropriate number that describes the varietal character of this variety in the boxes below. 1. SEED SHAPE: 2 = SPHERICAL FLATTENED 1 = SPHERICAL 3 = ELONGATE 4 = OTHER (Specify) 2. SEED COAT COLOR: SHADE 1 = YELLOW 2 = GREEN 3 = BROWN 4 = BLACK 1 = LIGHT 3 = DARK 1 2 = MEDIUM 5 = OTHER (Specify)3. SEED COAT LUSTER: 4. SEED SIZE ] = DULL 2 = SHINY 1 1 8 GRAMS PER 100 SEEDS 5. HILUM COLOR: SHADE. 5 = IMPERFECT 1 = BUFF 2 = YELLOW 3 = BROWN 4 = GRAY 5 1 = LIGHT 2 = MEDIUM 3 = DARK 6 = BLACK 7 = OTHER (Specify) 6. COTYLEDON COLOR: 7. LEAFLET SIZE (See Reverse): ] = YELLOW 2 = GREEN 1 2 1 = SMALL 2 = MEDIUM 3 = LARGE 8. LEAFLET SHAPE: l = OVATE 2 = OBLONG 5 = OTHER (Specify) 3 = LANCEOLATE 4 = ELLIPTICAL 1 9. LEAF COLOR (See reverse): 10. FLOWER COLOR: 1 = WHITE 1 = LIGHT GREEN 2 = PURPLE 2 = MEDIUM GREEN 2 3 = DARK GREEN 3 = OTHER (Specify) 11. POD COLOR: 12: POD SET: ] = TAN 3 = BLACK 2 2 = BROWN 1 = SCATTERED 2 = CONCENTRATED 13. PLANT PUBESCENCE COLOR: SHADE: ] = GRAY 2 = BROWN 1 3 = OTHER (Specify) 2 1 = LIGHT 2 = MEDIUM 3 ≃ DARK 14. PLANT TYPES (See Reverse): 15. PLANT HABIT: . 1 = SLENDER 2 = BUSHY 1 = DETERMINATE 3 2 = INDETERMINATE 3 = INTERMEDIATE 2 3 = OTHER (Specify) 16. HYPOCOTYL COLOR: 17. SEED PROTEIN: 1 = GREEN 2 = PURPLE 2 1 = A 2 = 🖪 18. NUMBER OF DAYS TO FLOWERING 19. MATURITY GROUP: (Place a zero in first box (e.g. 0 9 ) when days are 9 or less.)

5 1 2 = 03 = 1 1 = 00 5 = ui 6 6 = IV 7 = v 8 = v1 9 = VII  $10 = v_{111}$ 20. SIZE OF 10 DAY OLD SEEDLING GROWN UNDER CONSTANT LIGHT (Growth Chamber) AT 25° C. (Place a zero in first box (e.g. 0 2) when size is 9 mm. or less.) 16 hour daylength.

0 6 3 MM. LENGTH OF SEEDLING

2 2 MM. LENGTH OF COTYLEDON

1 3 OF COTYLEDON 2 MM. LENGTH OF COTYLEDON MM. WIDTH OF COTYLEDON 1 21. DISEASE: (Enter 0 =Not Tested; 1 = Susceptible; 2 = Resistant) BACTERIAL Pustule 1 1 SOYBEAN PURPLE ROOT KNOT 1 POD AND 0 STAIN MILDEW STEM BLIGHT

STEM CANKER

WILDFIRE

0

0

РНҮТО-

PHTHORA

RHIZOCTONIA

1

BROWN

STEM ROT

OTHER (Specify)

TARGET SPOT

0

BROWN

2

FROGEYE

BLIGHT

Leaf surface

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.						
CHARACTER NAME OF VARIETY		CHARACTER	NAME OF VARIETY			
Plant shape	Beeson	Petiale angle	Beeson			
Leaf shape	Beeson	Seed size	Kent			
Leaf color	Beeson	Seed shape	Beeson			

Seedling pigmentation Beeson

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY:

Beeson

	NO. OF DAYS	10. OF DAYS LODGING	LODGING PLANT SCORE HEIGHT	LEAF SIZE		CONTENT		AVERAGE NO.	IODINE NO
	TO MATURITY S	SCORE		Width	Length	Protein	Oil	OF PODS PER PLANT	IODINE NO.
Submitted	119	1.8	41" 5%			42.5	22.2 %		_
Name of similar variety Cutler	120	1.9	38" 96			41.1	22.0		

#### INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

- 1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
- 2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
- 3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

COLOR VARIETY
Light Green "Ada"
Medium Green "Wilkin"
Dark Green "Swift"

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

SIZE VARIETY

Small "Amsoy"

Medium "Bonus"

Large "Anoka"

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

TYPE VARIETY

Slender "Vansoy"
Intermediate "Wirth"

Bushy "Adelphia"